

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CLEAN TOUCH PRO 400

Other means of identification : Not applicable.

Recommended use : Skin-care

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 09/24/2018

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Response:**
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
distillates (petroleum), hydrotreated light	64742-47-8	10 - 30
Sodium poly(oxyethylene) dodecyl ether sulfate	68585-34-2	5 - 10
Propylene glycol	57-55-6	1 - 5
glycerin	56-81-5	1 - 5
amines, coco alkyldimethyl, n-oxides	61788-90-7	1 - 5
alcohols, c12-16, ethoxylated	68551-12-2	1 - 5

Section: 4. FIRST AID MEASURES

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
In case of skin contact	: Rinse with water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Risk of explosion.	: Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	525 mg/m ³	CA ON OEL
		TWA (Mist)	5 mg/m ³	CAD AB OEL
		STEL (Mist)	10 mg/m ³	CAD AB OEL
		VME (Mist)	5 mg/m ³	OEL (QUE)
		STEV (Mist)	10 mg/m ³	OEL (QUE)
		TWA	200 mg/m ³ (as total hydrocarbon vapor)	CAD BC OEL
distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m ³ (as total hydrocarbon vapor)	CAD AB OEL
		TWA	500 ppm 2,000 mg/m ³	OSHA Z1
		TWA	200 mg/m ³ (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
Propylene glycol	57-55-6	TWA (Aerosol.)	10 mg/m ³	CA ON OEL
		TWA (Vapour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
Propylene glycol	57-55-6	TWA	10 mg/m ³	AIHA WEEL
glycerin	56-81-5	TWA (Mist)	10 mg/m ³	CAD AB OEL
		TWA (Mist)	10 mg/m ³	CAD BC OEL
		VME (Mist)	10 mg/m ³	OEL (QUE)
glycerin	56-81-5	TWA	10 mg/m ³	ACGIH
		TWA (respirable fraction)	5 mg/m ³	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : No specific measures identified.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Emulsion
- Colour : opaque, light green
- Odour : Floral
- pH : 6.0 - 8.0, (100 %)
- Flash point : Not applicable., Does not sustain combustion.
- Odour Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 1.01 - 1.03
- Water solubility : soluble
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, kinematic : 103960.000 mm²/s (40 °C)
- Explosive properties : no data available
- Oxidizing properties : no data available
- Molecular weight : no data available
- VOC : no data available

Section: 10. STABILITY AND REACTIVITY

- Chemical stability : Stable under normal conditions.
- Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
- Conditions to avoid : None known.
- Incompatible materials : None known.

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye irritation.
Skin : Health injuries are not known or expected under normal use.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Irritation
Skin contact : No symptoms known or expected.
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity : no data available
Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation : no data available
Serious eye damage/eye irritation : no data available
Respiratory or skin sensitization : no data available
Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

Aspiration toxicity : no data available

Components

Acute inhalation toxicity : Propylene glycol
4 h LC50 rat: > 158.5 mg/l Test atmosphere: dust/mist

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : distillates (petroleum), hydrotreated light
96 h LC50: > 1,000 mg/l

Sodium poly(oxyethylene) dodecyl ether sulfate
96 h LC50 Fish: 28 mg/l

Propylene glycol
96 h LC50: > 10,000 mg/l

glycerin
96 h LC50 Fish: 855 mg/l

amines, coco alkyldimethyl, n-oxides
96 h LC50 Fish: 1 mg/l

alcohols, c12-16, ethoxylated
LC50: 1.5 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : distillates (petroleum), hydrotreated light
48 h EC50: > 1,000 mg/l

Propylene glycol
48 h EC50: 18,340 mg/l

Components

Toxicity to algae : distillates (petroleum), hydrotreated light
72 h EC50: > 1,000 mg/l

Propylene glycol
96 h EC50: 19,000 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

Canada Cosmetics : Notified cosmetic under Food & Drugs Act

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :
not determined

United States TSCA Inventory :
On TSCA Inventory

Canadian Domestic Substances List (DSL) :
This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Industrial Chemical (Notification and Assessment) Act :
not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :
not determined

SAFETY DATA SHEET

CLEAN TOUCH PRO 400

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined


Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
not determined

China Inventory of Existing Chemical Substances :
not determined

Taiwan Chemical Substance Inventory :
not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 09/24/2018
Version : 1.2
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.